Journal of Imaging Technology

A bimonthly publication of
SPSE—The Society for Imaging Science and Technology

INDEX TO VOLUME 16 1990

Subject 246
Author 248

Number 1, February 1–54
Number 2, April 55–94
Number 3, June 95–128
Number 4, August 129–164
Number 5, October 165–202
Number 6, December 203–250

Subject Index

Aerial photography
Monitoring the impact of arsenic contamination on forest vegetation in New Jersey using remote sensing techniques, 3: 120–123

Aerial systems
Large scale aerial photography of citrus trees with color and color infrared film, 3: 101–104

Astronomical photography
Hydrogen hypersensitization of three Kodak tablet-grain films, 4: 139–143

Chemical management
Determination of silver in bleach-fix and fixer solutions by potentiometric titration with sodium diethyldithiocarbamate, 2: 91–93
Direct potentiometric analysis of total soluble silver in fixer and bleach-fix, 2: 85–90

Color
A new thermal transfer ink sheet for continuous-tone full color printer, 2: 70–74
Novel color electrophotography: one drum color superimposing process, 6: 228–233

Color chemistry
The image transfer function in diffusion transfer film systems, 4: 136–138

Color electrophotography
Evaluating full-color electrophotographic prints for registration and background, 6: 222–228

Color graphics
Estimation of color errors due to random pixel placement errors, 2: 75–79

Color infrared
Large scale aerial photography of citrus trees with color and color infrared film, 3: 101–104

Color paper
Photographic base papers in dye diffusion thermal transfer applications, 5: 182–185

Color reproduction
A comparison of techniques for color gamut mismatch compensation, 5: 176–181
A novel coding algorithm for representing full color image by a single color image, 4: 146–152
Facial pattern detection and color correction from negative color film, 2: 80–84
Facial pattern detection and color correction from television picture for newspaper printing, 5: 165–169
Quantization of color images based on uniform color spaces, 1: 11–21

Color systems and analysis
Opacifying dyes for Polaroid integral films, 4: 143–145

Developers
Charging rates of dry electrophotographic developers, 6: 204–208

Development
Background development and toner charge distributions in electrophotography, 6: 217–219
Development efficiency in electrophotography, 4: 129–135

Diffusion transfer
The image transfer function in diffusion transfer film systems, 4: 136–138

Digital imaging
Quantization of color images based on uniform color spaces, 1: 11–21
Shallow water bathymetry models using multispectral digital data, 5: 170–175

Displays
A comparison of techniques for color gamut mismatch compensation, 5: 176–181
Estimation of color errors due to random pixel placement errors, 2: 75–79

Dye diffusion
Dye diffusion thermal transfer (D2T2) color printing, 6: 238–241
Photographic base papers in dye diffusion thermal transfer applications, 5: 182–185

Dye transfer
Image stabilities and multiusable printing characteristics of dye transfer sheet, 1: 33–37

Electronic imaging
A comparison of techniques for color gamut mismatch compensation, 5: 176–181
A novel coding algorithm for representing full color image by a single color image, 4: 146–152
Estimation of color errors due to random pixel placement errors, 2: 75–79
Facial pattern detection and color correction from negative color film, 2: 80–84
Facial pattern detection and color correction from television picture for newspaper printing, 5: 165–169
Quantization of color images based on uniform color spaces, 1: 11–21
Shallow water bathymetry models using multispectral digital data, 5: 170–175

Electronic printing
Halftone image printing at low resolution, 2: 60–64

Electrophotography
Background development and toner charge distributions in electrophotography, 6: 217–219
Charging rates of dry electrophotographic developers, 6: 204–208
Development efficiency in electrophotography, 4: 129–135
Electrophotographic characteristics of chemically spherical and mechanically shattered toners, 1: 48–52
Evaluating full-color electrophotographic prints for registration and background, 6: 222–228
Halftone banding due to vibrations in a xerographic image bar printer, 1: 6–11
Novel color electrophotography: one drum color superimposing process, 6: 228–233
Photo induced toning mechanism in novel electrophotographic technology, 1: 1–6
Red or IR light source induced fatigue effects of Se-based photoconductors in non-impact printers, 2: 55–59

Hypersensitization
Hydrogen hypersensitization of three Kodak tablet-grain films, 4: 139–143

Image evaluation
An optical technique for roughness measurement of printing papers, 1: 22–26
Halftone image printing at low resolution, 2: 60–64

Image preservation
Image stability of black-and-white photographic products, 1: 27–32
Quality improvements and control procedures at the image stability technical center, 5: 198–202

Imaging processing
Comparison of information content in camcorder and multivideo imagery, 3: 109–113
Estimating grain sorghum yield from video and reflectance based PVI measurements at peak canopy development, 3: 104–109
Mapping native plant communities with color-infrared video imagery, 3: 96–100
Monitoring the impact of arsenic contamination on forest vegetation in New Jersey using remote sensing techniques, 3: 120–123
Multispectral video analysis of micro-relief dominated poorly drained soils in Western Indiana, 3: 113–119
Quantification of nutrient stress in horticultural crops using videography, 3: 124–127
Shallow water bathymetry models using multispectral digital data, 5: 170–175

Ink jet
Satellite control by direct harmonic excitation, 1: 43–47

Ink-jet printing
Mechanism of drying of water-based inks on bond papers, 2: 65–69

Print quality of plain paper with a bubble jet printer, 5: 189–192
The fluorescence of polymer powders and their dispersions for ink-jet printing, 4: 158–161

Ink resistive ribbon
Temperature dependent peel strength of ink-resistive ribbon interface, 1: 38–42

Inography
Continuous-tone photographic image reproduction using ion flow printing process, 4: 153–157

Magnetic brush
Development efficiency in electrophotography, 4: 129–135

Magnetic brush development
A background mechanism in magnetic brush development, 6: 209–216

Magnetic imaging
The effect of toner charge magnitude on magnetic and non-magnetic monocomponent development, 5: 193–197

Medical imaging
Application of a high resolution gamma ray detection and imaging technique to nuclear medicine, 4: 161–164

Non-impact printing
A background mechanism in magnetic brush development, 6: 209–216
Background development and toner charge distributions in electrophotography, 6: 217–219
Charging rates of dry electrophotographic developers, 6: 204–208
Continuous-tone photographic image reproduction using ion flow printing process, 4: 153–157
Dye diffusion thermal transfer (D2T2) color printing, 6: 238–241
Electrophotographic characteristics of chemically spherical and mechanically shattered toners, 1: 48–52
Evaluating full-color electrophotographic prints for registration and background, 6: 222–228
Image stabilities and multiusable printing characteristics of dye transfer sheet, 1: 33–37
Mechanism of drying of water-based inks on bond papers, 2: 65–69
Novel color electrophotography: one drum color superimposing process, 6: 228–233
Satellite control by direct harmonic excitation, 1: 43–47
Temperature dependent peel strength of ink-resistive ribbon interface, 1: 38–42
The effect of toner charge magnitude on magnetic and non-magnetic monocomponent development, 5: 193–197
Transparent thermal film, 6: 234–237
Xerographic duplication using organopolysilane-based UV imaged memory photoreceptor, 6: 219–222

Novel imaging
Photo induced toning mechanism in novel electrophotographic technology, 1: 1–6

Paper
Print quality of plain paper with a bubble jet printer, 5: 189–192

Pattern analysis
An optical technique for roughness measurement of printing papers, 1: 22–26

Photoconductors
Halftone banding due to vibrations in a xerographic image bar printer, 1: 6–11
Red or IR light source induced fatigue effects of Se-based photoconductors in non-impact printers, 2: 55–59

Photofinishing
Automatic detection of blurred images for photofinishing, 5: 186–188

Photographic imaging
Automatic detection of blurred images for photofinishing, 5: 186–188
Hydrogen hypersensitization of three Kodak tablet-grain films, 4: 139–143
Opacifying dyes for Polaroid integral films, 4: 143–145
Photographic base papers in dye diffusion thermal transfer applications, 5: 182–185
The image transfer function in diffusion transfer film systems, 4: 136–138

Photoreceptor
Xerographic duplication using organopolysilane-based UV imaged memory photoreceptor, 6: 219–222

Polaroid
Opacifying dyes for Polaroid integral films, 4: 143–145

Print imaging
A new thermal transfer ink sheet for continuous-tone full color printer, 2: 70–74
Continuous-tone photographic image reproduction using ion flow printing process, 4: 153–157
Halftone image printing at low resolution, 2: 60–64
Mechanism of drying of water-based inks on bond papers, 2: 65–69
Print quality of plain paper with a bubble jet printer, 5: 189–192
Red or IR light source induced fatique effects of Se-based photoconductors in non-impact printers, 2: 55–59
Satellite control by direct harmonic excitation, 1: 43–47
The effect of toner charge magnitude on magnetic and non-magnetic monocomponent development, 5: 193–197
The fluorescence of polymer powders and their dispersions for ink-jet printing, 4: 158–161

Printing papers
An optical technique for roughness measurement of printing papers, 1: 22–26

Radiography
Application of a high resolution gamma ray detection and imaging technique to nuclear medicine, 4: 161–164

Rare earth metals
The fluorescence of polymer powders and their dispersions for ink-jet printing, 4: 158–161

Remote sensing
Comparison of information content in camcorder and multivideo imagery, 3: 109–113
Estimating grain sorghum yield from video and reflectance based PVI measurements at peak canopy development, 3: 104–109
Large scale aerial photography of citrus trees with color and color infrared film, 3: 101–104
Mapping native plant communities with color-infrared video imagery, 3: 96–100
Monitoring the impact of arsenic contamination on forest vegetation in New Jersey using remote sensing techniques, 3: 120–123
Multispectral video analysis of micro-relief dominated poorly drained soils in Western Indiana, 3: 113–119
Quantification of nutrient stress in horticultural crops using videography, 3: 124–127

Silver recovery
Determination of silver in bleach-fix and fixer solutions by potentiometric titration with sodium diethyldithiocarbamate, 2: 91–93
Direct potentiometric analysis of total soluble silver in fixer and bleach-fix, 2: 85–90

Stability
Image stability of black-and-white photographic products, 1: 27–32
Quality improvements and control procedures at the image stability technical center, 5: 198–202

Storage
Image stability of black-and-white photographic products, 1: 27–32

Thermal film
Transparent thermal film, 6: 234–237

Thermal printing
A new thermal transfer ink sheet for continuous-tone full color printer, 2: 70–74
Dye diffusion thermal transfer (D2T2) color printing, 6: 238–241
Image stabilities and multiusable printing characteristics of dye transfer sheet, 1: 33–37
Temperature dependent peel strength of ink-resistive ribbon interface, 1: 38–42
Transparent thermal film, 6: 234–237

Tomography
Application of a high resolution gamma ray detection and imaging technique to nuclear medicine, 4: 161–164

Toner
Electrophotographic characteristics of chemically spherical and mechanically shattered toners, 1: 48–52
Photo induced toning mechanism in novel electrophotographic technology, 1: 1–6

Videography
Comparison of information content in camcorder and multivideo imagery, 3: 109–113

Estimating grain sorghum yield from video and reflectance based PVI measurements at peak canopy development, 3: 104–109
Mapping native plant communities with color-infrared video imagery, 3: 96–100
Multispectral video analysis of micro-relief dominated poorly drained soils in Western Indiana, 3: 113–119
Quantification of nutrient stress in horticultural crops using videography, 3: 124–127

Video systems
Facial pattern detection and color correction from television picture for newspaper printing, 5: 165–169

Xerography
A background mechanism in magnetic brush development, 6: 209–216
Halftone banding due to vibrations in a xerographic image bar printer, 1: 6–11
Xerographyic duplication using organo-polysilane-based UV imaged memory photoreceptor, 6: 219–222

Author Index

Airola, T. M.
Monitoring the impact of arsenic contamination on forest vegetation in New Jersey using remote sensing techniques, 3: 120–123
Allebach, J. P. See Gentile, R. S., et al., 11–21; 176–181
Ames, A. E.
—; Hultgren, B.: The image transfer function in diffusion transfer film systems, 4: 136–138
Anderson, J. H.
Charging rates of dry electrophotographic developers, 6: 204–208
Anderson, R. J. See Kopperl, D. F., et al., 198–202
Anderson, S. I.
—; Ellison, R. L.: Image stability of black-and-white photographic products, 1: 27–32
Atac, M. See Hademenos, G. J., et al., 161-164
Aviram, A. See Cederblad, B., et al., 38–42
Beardsley, G. See Schein, L. B., et al., 129–135
Beck, N. C. See Hann, R. A., 238–241
Blazquez, C. H.
Large scale aerial photography of citrus trees with color and color infrared film, 3: 101–104
Bloomberg, S. J.
—; Engeldrum, P. G.: Estimation of color errors due to random pixel placement errors, 2: 75–79
Borhan, A.
—; Pence, S. B., Sporer, A. H.: Mechanism of drying of water-based inks on bond papers, 2: 65–69
Bors, R. See Stutte, G. W., et al., 124–127
Castle, G. S. P. See Dean, A., et al., 193–197
Cederblad, B.
—; Sahni, O., Aviram, A.: Temperature dependent peel strength of ink-resistive ribbon interface, 1: 38–42
Chandrasekhar, R.
The fluorescence of polymer powders and their dispersions for ink-jet printing, 4: 158–161
Chaney, R. C. See Hademenos, G. J., et al., 161–164
Clark, R. K.
—; Fay, T. H., Walker, C. L.: Shallow water bathymetry models using multispectral digital data, 5: 170–175
Cline, D. B. See Hademenos, G. J., et al., 161–164
Codori, R. See Kopperl, D. F., et al., 198–202
Crowley, J. M. See Rezanka, I., 43–47
Davis, A. T.
Determination of silver in bleach-fix and fixer solutions by potentiometric titration with sodium diethyldithiocarbamate, 2: 91–93
Davis, M. R. See Mausel, P. W., et al., 113–119
Dean, A.
—; Castle, G. S. P., Schein, L. B.: The effect of toner charge magnitude on magnetic and non-magnetic monocomponent development, 5: 193–197
Drawe, D. L. See Everitt, J. H., et al., 96–100
Edinger, Jr., J.
Evaluating full-color electrophotographic prints for registration and background, 6: 222–228
Ellison, R. L. See Anderson, S. I., 27–32
See also Kopperl, D. F., et al., 198–202
Engeldrum, P. G. See Bloomberg, S. J., 75–79
Erbland, B. V. See Kopperl, D. F., et al., 198–202
Escobar, D. E.
—; Villarreal, R.: Comparison of information content in camcorder and multivideo imagery, 3: 109–113
See also Everitt, J. H., et al., 96–100
See also Mausel, P. W., et al., 113–119
See also Richardson, A. J., et al., 104–109
Everitt, J. H.
—; Richardson, A. J., Escobar, D. E., Villarreal, R., Drawe, D. L.: Mapping native plant communities with color-infrared video imagery, 3: 96–100
Fay, T. H. See Clark, R. K., et al., 170–175
Fenyves, E. J. See Hademenos, G. J., et al., 161–164
Fitzgibbons, G. See Smith, A. G., 139–143
Gentile, R. S.
—; Allebach, J. P., Walowit, E.: Quantization of color images based on uniform color spaces, 1: 11–21
—; Walowit, E., Allebach, J. P.: A comparison of techniques for color gamut mismatch compensation, 5: 176–181
Hademenos, G. J.
—; Chaney, R. C., Fenyves, E. J., Cline, D. B., Atac, M.: Application of a high resolution gamma ray detection and imaging technique to nuclear medicine, 4: 161–164
Hann, R. A.
—; Beck, N. C.: Dye diffusion thermal transfer (D2T2) color printing, 6: 238–241
Hays, D. A.
A background mechanism in magnetic brush development, 6: 209–216
Heilman, M. D. See Richardson, A. J., et al., 104–109
Hoshino, Y. See Omodani, M., et al., 153–157
See also Tetsutani, N., et al., 1–6
Hultgren, B. See Ames, A. E., 136–138
Huynh, V.-M.
—; Peticca, G.: An optical technique for roughness measurement of printing papers, 1: 22–26
Imai, A. See Taguchi, N., et al., 33–37
Kalaluka, G. Y. See Mausel, P. W., et al., 113–119
Kanamori, K. See Kotera, H., 146–152
Kasper, K. B.
Photographic base papers in dye diffusion thermal transfer applications, 5: 182–185
Kopperl, D. F.
—; Anderson, R. J., Codori, R., Ellison, R., Erbland, B. V.: Quality improvements and control procedures at the image stability technical center, 5: 198–202
Kotera, H.
—; Kanamori, K.: A novel coding algorithm for representing full color image by a single color image, 4: 146–152
Kunishige, H. See Yamamoto, H., et al., 228–233
Kutami, M.
—; Shimura, M., Suzuki, S., Yamagishi, K.: A new thermal transfer ink sheet for continuous-tone full color printer, 2: 70–74
Kutsuwada, N.
—; Nakamura, Y.: Electrophotographic characteristics of chemically spherical and mechanically shattered toners, 1: 48–52
Lama, W. See Loce, R., 6–11
Lee, J. K. See Mausel, P. W., et al., 113–119
Loce, R.
—; Lama, W.: Halftone banding due to vibrations in a xerographic image bar printer, 1: 6–11
Lutz, M. See Pinsler, H., et al., 55–59
Matsuda. H. See Taguchi, N., et al., 33–37
Mausel, P. W.
—; Kalaluka, G. Y., Lee, J. K., Mudderman, D. E., Escobar, D. E., Davis, M. R.: Multispectral video analysis of micro-relief dominated poorly drained soils in Western Indiana, 3: 113–119

Miyake, Y.
—; Saitoh, H., Yaguchi, H., Tsukada, N.: Facial pattern detection and color correction from television picture for newspaper printing, 5: 165–169
See also Satoh, Y., et al., 80–84, 186–188
Moore, M. See Schein, L. B., et al., 129–135
Mudderman, D. E. See Mausel, P. W., et al., 113–119
Nakamura, Y. See Kutsuwada, N., 48–52
Noguchi, H. See Shimomura, M., et al., 189–192
Ohta, M. See Omodani, M., et al., 153–157
Oittinen, P.
—; Saarelma, H.: Halftone image printing at low resolution, 2: 60–64
Omodani, M.
—; Tanaka, T., Hoshino, Y., Ohta, M.: Continuous-tone photographic image reproduction using ion flow printing process, 4: 153–157
Ozawa, M. See Tetsutani, N., et al., 1–6
Pence, S. B. See Borhan, A., et al., 65–69
Peticca, G. See Huynh, V.-M., 22–26
Pinsler, H.
—; Walsdorfer, H., Lutz, M.: Red or IR light source induced fatigue effects of Se-based photoconductors in non-impact printers, 2: 55–59
Quinones, P. R.
Direct potentiometric analysis of total soluble silver in fixer and bleach-fix, 2: 85–90
Rezanka, I.
—; Crowley, J. M.: Satellite control direct harmonic excitation, 1: 43–47
Richardson, A. J.
—; Heilman, M. D., Escobar, D. E.: Estimating grain sorghum yield from video and reflectance based PVI measurements at peak canopy development, 3: 104–109
See also Everitt, J. H., et al., 96–100
Saarelma, H. See Oittinen, 60–64
Sahni, O. See Cederblad, B., et al., 38–42
Saitoh, H. See Miyake, Y., et al., 165–169
Saitoh, T. See Yamamoto, H., et al., 228–233
Sasano, Y. See Satoh, Y., et al., 186–188
Sato, Y. See Shimomura, M., et al., 189–192
Satoh, Y.
—; Miyake, Y., Yaguchi, H., Sasano, Y.: Automatic detection of blurred images for photofinishing, 5: 186–188
—; Miyake, Y., Yaguchi, H., Shinohara, S.: Facial pattern detection and color correction from negative color film, 2: 80–84
Schein, L. B.
Background development and toner charge distributions in electrophotography, 6: 217–219
—; Beardsley, G., Moore, M.: Development efficiency in electrophotography, 4: 129–135
See also Dean, A., et al., 193–197
Shimomura, A. See Usami, T., 234–237
Shimomura, M.
—; Sato, Y., Suga, Y., Noguchi, H.: Print quality of plain paper with a bubble jet printer, 5: 189–192
Shimura, M. See Kutami, M., et al., 70–74
Shinohara, S. See Satoh, Y., et al., 80–84
Simon, M. S.
Opacifying dyes for Polaroid integral films, 4: 143–145
Smith, A. G.
—; Fitzgibbons, G.: Hydrogen hypersensitization of three Kodak tablet-grain films, 4: 139–143
Sporer, A. H. See Borhan, A., et al., 65–69
Stutte, C. A. See Stutte, G. W., et al., 124–127
Stutte, G. W.
—; Bors, R., Stutte, C. A.: Quantification of nutrient stress in horticultural crops using videography, 3: 124–127
Suga, Y. See Shimomura, M., et al., 189–192
Suzuki, S. See Kutami, M., et al., 70–74
Taguchi, N.
—; Imai, A., Matsuda, H.: Image stabilities and multiusable printing characteristics of dye transfer sheet, 1: 33–37
Takashima, Y. See Yamamoto, H., et al., 228–233
Tanaka, T. See Omodani, M., et al., 153–157
Terada, H. See Yamamoto, H., et al., 228–233
Tetsutani, N.
—; Hoshino, Y., Ozawa, M.: Photo induced toning mechanism in novel electrophotographic technology, 1: 1–6
Tsukada, N. See Miyake, Y., et al., 165–169
Usami, T.
—; Shimomura, A.: Transparent thermal film, 6: 234–237
Villarreal, R. See Escobar, D. E., 109–113
See also Everitt, J. H., et al., 96–100
Walker, C. L. See Clark, R. K., et al., 170–175
Walowit, E. See Gentile, R. S., et al., 11–21; 176–181
Walsdorfer, H. See Pinsler, H., et al., 55–59
Yaguchi, H. See Miyake, Y., et al., 165–169
See also Satoh, Y., et al., 80–84; 186–188
Yamagishi, K. See Kutami, M., et al., 70–74
Yamamato, H.
—; Takashima, Y., Terada, H., Kunishige, H., Saitoh, T.: Novel color electrophotography: one drum color superimposing process, 6: 228–233
Yokoyama, K.
—; Yokoyama, M.: Xerographic duplication using organopolysilane-based UV imaged memory photoreceptor, 6: 219–222
Yokoyama, M. See Yokoyama, K., 219–222